



# KOMO® Product certificate K104073-3



Issued 2024-09-10 Replaces K104703-2  
Valid until Indefinite Dated 2023-07-05  
Page 1 of 3

Steel for reinforcement of concrete B500B: coils

## Dubaere NV

### STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 0501 "Steel for the reinforcement of concrete" (Betonstaal)" dated 01 September 2010 inclusive amendment sheet dated 12 December 2018, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down in the Guideline/BRL 0501.

Provided the product is accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers  
Kiwa

*This product certificate is also included on the KOMO foundation websites: [www.komo.nl](http://www.komo.nl) and [www.komo-online.nl](http://www.komo-online.nl).  
Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: [www.kiwa.nl](http://www.kiwa.nl).*

**Kiwa Nederland B.V.**  
Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

**Certificate holder**  
Dubaere NV  
Durmelaan 24  
9880 AALTER  
BELGIË  
Tel +32 51 48 04 10  
[info@dubaere-group.com](mailto:info@dubaere-group.com)  
[www.dubaere-group.com](http://www.dubaere-group.com)



**Assessed is:**  
• Quality system  
• Product  
Periodic control

## Steel for the reinforcement of concrete B500B: coils

### 1 TECHNICAL SPECIFICATION

This product certificate relates to the product characteristics of Steel for the reinforcement of concrete, B500B: (coils). The products are intended for use in concrete structures.

The following products are covered by this product certificate:

Classification	: B500B
Production method	: Cold profiled (indented)
Nominal size	: 8 – 10 – 12 – 14 and 16 mm
Delivery condition	: coils (compact spooled)

### 2 QUALITY MARK AND INDICATIONS PLACED ON THE PRODUCTS

The products are marked with a label with upon it at least on a clear and indelible way:

- The KOMO<sup>®</sup> indication or the KOMO<sup>®</sup> quality mark followed by the certificate number. The official KOMO quality mark is shown and executed as follows:



K104703


- The classification B500B
- BRL 0501
- Diameter
- The rolling mark
- Production code (heat number / cast number / coil number) or production date
- Factory brand or factory name

At least one label per coil is required.

Steel for the reinforcement of concrete is marked on the following way:

On one rib row by ribs between wider indentations with the code (0-2-46), figure 2.

Position of the rolling mark: at intervals of  $\pm 0.50$  m. The position of the transverse ribs may also be reversed.



(0-2-46) Figure 2.

### 3 PRODUCT CHARACTERISTICS

The product meets the product characteristics as laid down in Guideline/BRL 0501.

### 4 TIPS FOR THE USER

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).

If based on the foregoing you decide to proceed to rejection, please contact

- Dubaere NV
- And if necessary,
- Kiwa Nederland B.V.

Consult NEN-EN 13670 for the correct method of storage, transport and processing.

Consult the website [www.kiwa.nl](http://www.kiwa.nl) to check whether this product certificate is still valid.



Steel for the reinforcement of concrete B500B: coils

---

**LIST OF DOCUMENTS**

NEN 6008 : Betonstaal  
NEN-EN 13670 : Het vervaardigen van betonconstructies

\* For the actual version of the standards see the latest version of the BRL 0501 or latest amendment sheet.